

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((amplifier or amplifying) with ((sensor or sense or sensing) near3 power) with (power near2 level) with gain adj control with (transmit\$4 or transmission) with (receiv\$3) with (switch or switches or switching)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 15:19
L2	2	((amplifier or amplifying) with ((sensor or sense or sensing) near3 power) with (power near2 level) with gain adj control with (transmit\$4 or transmission) with (receiv\$3) with (switch or switches or switching))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 15:20
L3	2	((amplifier or amplifying) with (power near2 level) with gain adj control with (transmit\$4 or transmission) with (receiv\$3) with (switch or switches or switching)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 15:22
L4	4	((amplifier or amplifying) with (power near2 level) with gain adj control with (transmit\$4 or transmission) with (receiv\$3) with (switch or switches or switching))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 15:22
L5	2	4 not 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 15:22
L6	0	amplifier.ab. and ((power or voltage) with level adj detector with gain adj control\$3 with switch\$3 with bandpass adj filter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 15:25
L7	0	amplifier.ab. and ((power or voltage) with level adj detector with gain adj control\$3 with switch\$3 with bandpass adj filter) and (tdd or time adj division adj duplex)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 15:25

EAST Search History

L8	0	amplifier.ab. and ((power) with level adj detector with gain adj control\$3 with switch\$3 with bandpass adj filter) and (tdd or time adj division adj duplex)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 15:25
L9	1415	constant near3 output with amplifier with (power or voltage) and (radio or rf or wireless or cellular or mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 15:26
L10	822	L9 and constant adj2 output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 15:26
L11	603	L10 and gain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 15:26
L12	226	L11 and reference adj voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 15:26
L13	24	L12 and (radio adj frequency or rf) adj amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 15:26
L14	37	constant adj2 output with (radio adj frequency or rf) adj amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 15:26
L15	57	L13 or L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 15:26

EAST Search History

L16	5	L15 and equation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 15:26
L17	0	amplifier with output with input with output near2 (power or voltage) with log with input near2 (power or voltage) with constant\$2 with "10 adj vr"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/20 15:35